LISTING OF CLAIMS

2

- 1-17. (Canceled)
- 18. (Previously Presented) A compound of the formula (II):

wherein:

X is selected from the group consisting of -CH(R_{9a})-alkylene- and -CH(R_{9a})-alkenylene-, wherein the alkylene and alkenylene are optionally interrupted by one or more -O- groups;

Y' is selected from the group consisting of.

- a bond,
- -C(O)-,
- -C(S)-,
- $-S(O)_{2}$ -,
- $-S(O)_2-N(R_8)-,$

- C(O)-O-,
- $-C(O)-N(R_8)-$,
- $-C(S)-N(R_8)-,$
- $-C(O)-N(R_8)-S(0)_2$ -,
- -C(O)-N(R₈)-C(O)-,
- $-C(S)-N(R_8)-C(O)-,$

3

$$-c(0) - N$$
 R_{10}

-C(O)-C(O)-,

-C(O)-C(O)-O-, and

 $-C(=NH)-N(R_8)-;$

 R_{l} and R' are independently selected from the group consisting of

hydrogen,

alkyl,

alkenyl,

aryl,

arylalkylenyl,

heteroaryl,

heteroarylalkylenyl,

heterocyclyl,

heterocyclylalkylenyl, and

alkyl, alkenyl, aryl, arylalkylenyl, heteroaryl, heteroarylalkylenyl, heterocyclyl, or

heterocyclylalkylenyl, substituted by one or more substituents selected from the group consisting of:

hydroxyl,

alkyl,

haloalkyl,

hydroxyalkyl,

alkoxy,

dialkylamino,

 $-S(O)_{0-2}$ -alkyl,

 $-S(O)_{0-2}$ -aryl,

-NH-S(O)2-alkyl,

-NH-S(O)2-aryl,

haloalkoxy,

halogen,
nitrile,
nitro,
aryl,
heteroaryl,
heterocyclyl,
aryloxy,
arylalkyleneoxy,
-C(O)-O-alkyl,
-C(O)-N(R₈)₂,
-N(R₈)-C(O)-alkyl,

-O-C(O)-alkyl, and

-C(O)-alkyl;

or R_1 and R' together with the nitrogen atom and Y' to which they are bonded can join to form a ring selected from the group consisting of:

$$-N-C(R_6) \qquad -N-S(O)_2$$

$$R_7 \qquad \text{and} \qquad R_7 \qquad ;$$

 $R_{\rm A}$ and $R_{\rm B}$ are each independently selected from the group consisting of:

hydrogen,

halogen,

alkyl,

alkenyl,

alkoxy,

alkylthio, and

 $-N(R_9)_2$,

or when taken together, R_A and R_B form a fused aryl ring or heteroaryl ring containing one heteroatom selected from the group consisting of N and S, wherein the aryl or heteroaryl ring is unsubstituted or substituted by one or more R groups, or substituted by one R₃ group, or substituted by one R₃ group and one R group;

or when taken together, R_A and R_B form a fused 5 to 7 membered saturated ring, optionally containing one heteroatom selected from the group consisting of N and S, and unsubstituted or substituted by one or more R groups;

R is selected from the group consisting of:

halogen,

hydroxyl,

alkyl,

alkenyl,

haloalkyl,

alkoxy,

alkylthio, and

 $-N(R_9)_2$;

R₂ is selected from the group consisting of:

 $-R_4$

 $-X'-R_4$

 $-X'-Y-R_4$, and

 $-X^{1}-R_{5};$

R₃ is selected from the group consisting of:

-Z-R₄,

-Z-X'-R₄,

-Z-X'-Y-R₄, and

 $-Z-X'-R_5$;

each X' is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene, wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted or terminated with arylene, heteroarylene, or heterocyclylene, and optionally interrupted by one or more -O- groups;

each Y is independently selected from the group consisting of:

 $-S(O)_{0-2}$ -,

 $-S(O)_2-N(R_8)-,$

Z is a bond or -O-;

each R₄ is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkiheteroarylenyl, and heterocyclyl, wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroarylalkylenyl, heteroaryloxyalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxyl, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylannino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R₅ is independently selected from the group consisting of:

each R_6 is independently selected from the group consisting of =O and =S;

each R7 is independently C2-7 alkylene;

each R_8 is independently selected from the group consisting of hydrogen, C_{1-10} alkyl, C_{2-10} alkenyl, C_{1-10} alkoxy- C_{1-10} alkylenyl, and aryl- C_{1-10} alkylenyl;

each R₉ is independently selected from the group consisting of hydrogen and alkyl;

R_{9a} is selected from the group consisting of hydrogen and alkyl which is optionally interrupted by one or more -O- groups;

each R₁₀ is independently C₃₋₈ alkylene;

each A is independently selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and -N(R₄)-;

each Q is independently selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-

 $C(R_6)$ -, $-S(O)_2$ -, $-C(R_6)$ - $N(R_8)$ -W-, $-S(O)_2$ - $N(R_8)$ -, $-C(R_6)$ -O-, and $-C(R_6)$ - $N(OR_9)$ -;

each W is independently selected from the group consisting of a bond, -C(O)-, and $-S(O)_2$ -; each V is independently selected from the group consisting of $-C(R_6)$ -, $-O-C(R_6)$ -, $-N(R_8)$ -

 $C(R_6)$ -, and $-S(O)_2$ -; and

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7 ; or a pharmaceutically acceptable salt thereof.

19. (Canceled)

20. (Previously Presented) The compound or salt of claim 18 wherein X is $-C_{3-5}$ alkylene- or $-CH_2CH_2OCH_2CH_2$.

(Previously Presented) The compound or salt of claim 18 wherein R' is selected from the 21. group consisting of hydrogen and C₁₋₄ alkyl.

8

- 22. (Canceled)
- (Previously Presented) The compound or salt of claim 18 wherein Y' is -C(O)-, -S(O)2-, or -23. $C(O)-N(R_8)-.$
- (Canceled) 24.
- (Previously Presented) The compound or salt of claim 18 wherein $R_{\rm l}$ is selected from the 25. group consisting of C₁₋₆ alkyl and pyridyl.
- (Previously Presented) The compound or salt of claim 18 wherein R₁ is selected from the 26. group consisting of alkyl, alkenyl, aryl, and heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of -O-alkyl, -O-aryl, -S-alkyl, -S-aryl, halogen, -O-C(O)-alkyl, -C(O)-O-alkyl, haloalkoxy, haloalkyl, and aryl.

27-28. (Canceled)

- (Previously Presented) The compound or salt of claim 18 wherein R2 is selected from the 29. group consisting of hydrogen, alkyl, and alkoxyalkylenyl.
- (Previously Presented) The compound or salt of claim 29 wherein R2 is selected from the 30. group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, 2-methoxyethyl, and methoxymethyl.
- (Previously Presented) The compound or salt of claim 18 wherein R2 is selected from the 31. group consisting of:

```
hydrogen,
alkyl,
alkenyl,
aryl,
heteroaryl,
heterocyclyl,
alkylene-Y"-alkyl,
alkylene-Y"-alkenyl,
alkylene-Y"-aryl, and
```

alkyl or alkenyl substituted by one or more substituents selected from the group consisting

of:

hydroxyl,
halogen,
-N(R_{8a})₂,
-C(O)-C₁₋₁₀ alkyl,
-C(O)-O-C₁₋₁₀ alkyl,
-N₃,
aryl,
heteroaryl,
heterocyclyl,
-C(O)-aryl, and
-C(O)-heteroaryl;

wherein:

Y" is -O- or - $S(O)_{0-2}$ -; and

each R_{8a} is independently selected from the group consisting of hydrogen, $C_{1\text{--}10}$ alkyl, and $C_{2\text{--}10}$ alkenyl.

- 32. (Previously Presented) The compound or salt of claim 18 wherein R_A and R_B form a fused aryl ring or heteroaryl ring containing one N, wherein the aryl ring or heteroaryl ring is unsubstituted.
- 33. (Canceled)
- 34. (Previously Presented) A compound of the formula (III):

wherein:

X is selected from the group consisting of $-CH(R_{9a})$ -alkylene- and $-CH(R_{9a})$ -alkenylene-, wherein the alkylene and alkenylene are optionally interrupted by one or more -O- groups;

Y' is selected from the group consisting of:

a bond,

-C(O)-,

-C(S)-,

 $-S(O)_{2}$ -,

 $-S(O)_2-N(R_8)-,$

$$-s(0)_2 - N$$
 R_{10}

-C(O)-O-,

 $-C(O)-N(R_8)-,$

 $-C(S)-N(R_8)-,$

 $-C(O)-N(R_8)-S(O)_2-$

 $-C(O)-N(R_8)-C(O)-,$

 $-C(S)-N(R_8)-C(O)-,$

-C(O)-C(O)-,

C(O)-C(O)-O-, and

 $-C(=NH)-N(R_8)-;$

each R is independently selected from the group consisting of:

11

halogen,

hydroxyl,

alkyl,

alkenyl,

haloalkyl,

alkoxy,

alkylthio, and

 $-N(R_9)_2;$

R₁ and R' are independently selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

arylalkylenyl,

heteroaryl,

heteroarylalkylenyl,

heterocyclyl,

heterocyclylalkylenyl, and

alkyl, alkenyl, aryl, arylalkylenyl, heteroaryl, heteroarylalkylenyl, heterocyclyl, or heterocyclylalkylenyl, substituted by one or more substituents selected from the group consisting of:

hydroxyl,

alkyl,

haloalkyl,

hydroxyalkyl,

alkoxy,

dialkylamino,

 $-S(O)_{0-2}$ -alkyl,

 $-S(O)_{0-2}$ -aryl,

 $-NH-S(O)_2$ -alkyl,

-NH-S(O)2-aryl,

haloalkoxy,

halogen,

nitrile,

nitro,

aryl,

heteroaryl,

heterocyclyl,

aryloxy,

arylalkyleneoxy,

-C(O)-O-alkyl,

 $-C(O)-N(R_8)_2$,

 $-N(R_8)-C(O)$ -alkyl,

-O-C(O)-alkyl, and

-C(O)-alkyl;

or R_1 and R' together with the nitrogen atom and Y' to which they are bonded can join to form a ring selected from the group consisting of:

$$-N-C(R_0) \qquad -N-S(O)_2$$

$$R_7 \qquad \text{and} \qquad R_7 \qquad :$$

R₂ is selected from the group consisting of:

- $-R_{4}$
- -X'-R4,
- -X'-Y-R4, and
- $-X'-R_5;$

R₃ is selected from the group consisting of:

- $-Z-R_4$,
- -Z-X'-R4,
- $-Z-X'-Y-R_4$, and
- $-Z-X'-R_5$;

each X' is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene, wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted or terminated with arylene, heteroarylene, or heterocyclylene, and optionally interrupted by one or more -O- groups;

each Y is independently selected from the group consisting of:

- $-S(O)_{0-2}$ -,
- $-S(O)_2-N(R_8)-,$
- $-C(R_6)-,$
- $-C(R_6)-O-$,
- $-O-C(R_6)-$
- -O-C(O)-O-,
- $-N(R_8)-Q_{-}$
- $-C(R_6)-N(R_8)-,$
- $-O-C(R_6)-N(R_8)-$,
- $-C(R_6)-N(OR_9)-$

$$N-Q R_{10}$$
 $N-Q R_{10}$
 $N-Q R_{7}$
 $N-Q R_{7}$
 $N-Q R_{7}$
 $N-Q R_{7}$
 $N-Q R_{7}$
 $N-Q R_{10}$
 R_{10}
 R_{10}
 R_{10}

Z is a bond or -O-;

each R₄ is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroarylalkylenyl, alkylarylenyl, wherein the alkyl, alkenyl, alkynyl, aryl, arylalkylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylalkylenyl, heteroarylalkylenyl, heteroarylalkylenyl, heteroarylalkylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxyl, mercapto, cyano, aryl, aryloxy, arylalkyleneoxy, heteroaryl, heteroaryloxy, heteroarylalkyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylannino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R₅ is independently selected from the group consisting of:

$$-N-C(R_8) -N-S(O)_2 -V-N (CH_2)_8$$

$$R_7 , (CH_2)_8$$

$$N-C(R_8)-N (CH_2)_8$$
and

each R_6 is independently selected from the group consisting of =O and =S; each R_7 is independently C_{2-7} alkylene;

each R_8 is independently selected from the group consisting of hydrogen, C_{1-10} alkyl, C_{2-10} alkenyl, C_{1-10} alkoxy- C_{1-10} alkylenyl, and aryl- C_{1-10} alkylenyl;

each R₉ is independently selected from the group consisting of hydrogen and alkyl;

R_{9a} is selected from the group consisting of hydrogen and alkyl which is optionally interrupted by one or more -O- groups;

each R₁₀ is independently C₃₋₈ alkylene;

each A is independently selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and -N(R_4)-;

each Q is independently selected from the group consisting of a bond, -C(R₆)-, -C(R₆)-

 $C(R_6)$ -, $-S(O)_0$ -, $-C(R_6)$ - $N(R_8)$ -W-, $-S(O)_2$ - $N(R_8)$ -, $-C(R_6)$ -O-, and $-C(R_6)$ - $N(OR_9)$ -; each W is independently selected from the group consisting of a bond, -C(O)-, and $-S(O)_2$ -; each V is independently selected from the group consisting of $-C(R_6)$ -, -O- $-C(R_6)$ -, $-N(R_8)$ - $-C(R_6)$ -, and $-S(O)_2$ -;

a and b are independently integers from 1 to 6 with the proviso that a+b is ≤ 7 ; n is an integer from 0 to 4; and

m is 0 or 1, with the proviso that when m is 1, n is 0 or 1; or a pharmaceutically acceptable salt thereof.

35. (Canceled)

- 36. (Previously Presented) The compound or salt of claim 34 wherein X is $-C_{3-5}$ alkylene- or $-CH_2CH_2OCH_2CH_2$.
- 37. (Previously Presented) The compound or salt of claim 34 wherein R' is selected from the group consisting of hydrogen and C_{1-4} alkyl.

38-39. (Canceled)

- 40. (Previously Presented) The compound or salt of claim 34 wherein Y' is -C(O)-, -S(O)₂-, or -C(O)- $N(R_8)$ -.
- 41. (Canceled)
- 42. (Previously Presented) The compound or salt of claim 34 wherein R_i is selected from the group consisting of C_{1-6} alkyl and pyridyl.
- 43. (Previously Presented) The compound or salt of claim 34 wherein R₁ is selected from the group consisting of alkyl, alkenyl, aryl, and heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of -O-alkyl, -O-aryl, -S-alkyl, -S-aryl, halogen, -O-C(O)-alkyl, -C(O)-O-alkyl, haloalkoxy, haloalkyl, and aryl.

44-45. (Canceled)

- 46. (Previously Presented) The compound or salt of claim 34 wherein R₂ is selected from the group consisting of hydrogen, alkyl, and alkoxyalkylenyl.
- 47. (Previously Presented) The compound or salt of claim 46 wherein R₂ is selected from the group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, 2-methoxyethyl, and methoxymethyl.
- 48. (Previously Presented) The compound or salt of claim 34 wherein R₂ is selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

heteroaryl,

heterocyclyl,

alkylene-Y"-alkyl,

alkylene-Y"-alkenyl,

alkylene-Y"-aryl, and

alkyl or alkenyl substituted by one or more substituents selected from the group

consisting of:

hydroxyl,

halogen,

 $N(R_{8a})_2$,

 $-C(O)-C_{1-10}$ alkyl,

 $-C(O)-O-C_{1-10}$ alkyl,

 $-N_3$

aryl,

heteroaryl,

heterocyclyl,

-C(O)-aryl, and

-C(O)-heteroaryl;

wherein:

Y" is -O- or $-S(O)_{0-2}$; and

each R_{8a} is independently selected from the group consisting of hydrogen, C_{1-10} alkyl, and C_{2-10} alkenyl.

49. (Previously Presented) The compound or salt of claim 34 wherein m and n are each 0.

50-62. (Canceled)

63. (Previously Presented) A compound of the formula (V):

wherein:

X is selected from the group consisting of -CH(R_{9a})-alkylene- and-CH(R_{9a})-alkenylene-;

Y' is selected from the group consisting of

a bond,

-C(O)-,

-C(S)-,

-S(O)2-,

 $-S(O)_2-N(R_{8a})-,$

-C(O)-O-,

 $-C(O)-N(R_{8a})$

 $-C(S)-N(R_{8a})-,$

 $-C(O) N(R_{8a})-S(O)_2-,$

 $-C(O)-N(R_{8a})-C(O)-,$

-C(S)- $N(R_{8a})$ -C(O)-, and

-C(O)-C(O)-O-;

R₁ is selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

alkylene-aryl,

alkylene-heteroaryl,

```
alkylene-heterocyclyl,
       heteroaryl,
       heterocyclyl, and
       alkyl, alkenyl, aryl, arylalkylenyl, heteroarylalkylenyl, heterocyclylalkylenyl,
heteroaryl or heterocyclyl, substituted by one or more substituents selected from the
group consisting of.
       hydroxyl,
       alkyl,
       haloalkyl,
        hydroxyalkyl,
        -O-alkyl,
        -S(O)_{0-2}-alkyl,
        -S(O)_{0-2}-aryl,
        -O-haloalkyl,
        halogen,
        nitrile,
        nitro,
        aryl,
        heteroaryl,
        heterocyclyl,
        -O-aryl,
        -O-alkylene-aryl,
        -C(O)-O-alkyl,
        -C(O)-N(R_{8a})_2,
```

each R is independently selected from the group consisting of alkyl, alkoxy, halogen, hydroxyl, and trifluoromethyl;

 $-N(R_{8a})-C(O)$ -alkyl,

-O-C(O)-alkyl, and

-C(O)-alkyl;

20

```
R_2 is selected from the group consisting of:
```

```
hydrogen,
alkyl,
alkenyl,
aryl,
heteroaryl,
heterocyclyl,
alkylene-Y"-alkyl,
alkylene-Y"-alkenyl,
```

alkylene-11"-aryl, and

alkyl or alkenyl substituted by one or more substituents selected from the group consisting of:

hydroxyl,
halogen,
-N(R_{8a})₂,
-C(O)-C₁₋₁₀ alkyl,
-C(O)-O-C₁₋₁₀ alkyl,
-N₃,
aryl,
heteroaryl,
heterocyclyl,
-C(O)-aryl, and
-C(O)-heteroaryl;

each R_{8a} is independently selected from the group consisting of hydrogen, C_{1-10} alkyl, and C_{2-10} alkenyl;

 R_{9a} is selected from the group consisting of hydrogen and alkyl which may be optionally interrupted by one or more -O- groups; and

n is an integer from 0 to 4;

Y" is -O- or - $S(O)_{0-2}$ -;

Docket No.: C1271.70019US01

or a pharmaceutically acceptable salt thereof.

64-94. (Canceled)

95. (Withdrawn) A compound of the formula (VIII):

$$(R)_{n} \xrightarrow{NH_{2}} N \xrightarrow{N} R_{2}$$

$$(R_{3})_{m} \xrightarrow{R_{1}} N \xrightarrow{N} R_{3}$$

VIII

wherein:

X is selected from the group consisting of -CH(R_{9a})-alk-ylene- and -CH(R_{9a})-alkenylene-, wherein the alkylene and alkenylene are optionally interrupted by one or more -O- groups;

Y' is selected from the group consisting of

- a bond,
- -C(O)-,
- -C(S)-,
- $-S(O)_{2}$ -,
- $-S(O)_2-N(R_8)-,$

$$-s(0)_2 - N \xrightarrow{R_{10}}$$

- -C(O)-O-,
- $-C(O)-N(R_8)-,$
- $-C(S)-N(R_8)-,$
- $-C(O)-N(R_8)-S(O)_2-$
- $-C(O)-N(R_8)-C(O)-,$
- $-C(S)-N(R_8)-C(O)-,$

$$-C(0)-N R_{10}$$

-C(O)-C(O)-,

-C(O)-C(O)-O-, and

 $-C(=NH)-N(R_8)-;$

each R is independently selected from the group consisting of:

halogen,

hydroxyl,

alkyl,

alkenyl,

haloalkyl,

alkoxy,

alkylthio, and

 $-N(R_9)_2$;

R₁ and R' are independently selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

arylalkylenyl,

heteroaryl,

heteroarylalkylenyl,

heterocyclyl,

heterocyclylalkylenyl, and

alkyl, alkenyl, aryl, arylalkylenyl, heteroaryl, heteroarylalkylenyl, heterocyclyl, or heterocyclylalkylenyl, substituted by one or more substituents selected from the group consisting of:

hydroxyl,

alkyl,

haloalkyl, hydroxyalkyl, alkoxy, dialkylamino, $-S(O)_{0-2}$ -alkyl, -S(O) 0.2-aryl, -NH-S(O)2-alkyl, -NH-S(O)2-aryl, haloalkoxy, halogen, nitrile, nitro, aryl, heteroaryl, heterocyclyl, aryloxy, arylalkyleneoxy, -C(O)-O-alkyl, $-C(O)-N(R_8)_2$, $-N(R_8)-C(O)$ -alkyl, -O-C(O)-alkyl, and

or R_1 and R' together with the nitrogen atom and Y' to which they are bonded can join to form a ring selected from the group consisting of:

$$-N-C(R_s) \qquad -N-S(O)_2$$

$$\binom{R_7}{R_7} \quad \text{and} \quad \binom{R_7}{R_7}$$

-C(O)-alkyl;

R₂ is selected from the group consisting of:

-X'-Y-
$$R_4$$
, and

$$-X'-R_5;$$

R₃ is selected from the group consisting of:

-Z-R₄,

-Z-X'-R₄,

-Z-X'-Y-R₄, and

 $-Z-X'-R_5;$

each X' is independently selected from the group consisting of alkylene, alkenylene, alkynylene, arylene, heteroarylene, and heterocyclylene, wherein the alkylene, alkenylene, and alkynylene groups can be optionally interrupted or terminated with arylene, heteroarylene, or heterocyclylene, and optionally interrupted by one or more -O- groups;

each Y is independently selected from the group consisting of:

 $-S(O)_{0-2}$ -,

 $-S(O)_2-N(R_8)-,$

 $-C(R_6)-$,

 $-C(R_6)-O-$,

 $-O-C(R_6)-$,

-O-C(O)-O-,

 $-N(R_8)-Q-,$

 $-C(R_6)-N(R_8)-,$

 $-O-C(R_6)-N(R_8)-$,

 $-C(R_6)-N(OR_9)-,$

$$N-Q R_{10}$$
,
 $N-Q R_{10}$
,
 $N-Q-$
,
 R_7
,
 R_7
,
 R_7
,
 R_{10}
, and
 R_{10}
, R_{10}

Z is a bond or -O-;

each R₄ is independently selected from the group consisting of hydrogen, alkyl, alkenyl, alkynyl, aryl, arylaikylenyl, aryloxyalkylenyl, alkylarylenyl, heteroaryl, heteroarylaikylenyl, heteroarylaikylenyl, alkynyl, aryl, arylaikylenyl, alkylarylenyl, alkylarylenyl, heteroarylaikylenyl, alkynyl, arylaikylenyl, alkylarylenyl, heteroaryl, heteroarylaikylenyl, heteroarylaikylenyl, heteroarylaikylenyl, heteroarylaikylenyl, alkylheteroarylenyl, and heterocyclyl groups can be unsubstituted or substituted by one or more substituents independently selected from the group consisting of alkyl, alkoxy, hydroxyalkyl, haloalkyl, haloalkoxy, halogen, nitro, hydroxyl, mercapto, cyano, aryl, aryloxy, arylaikyleneoxy, heteroaryl, heteroaryloxy, heteroarylaikyleneoxy, heterocyclyl, amino, alkylamino, dialkylamino, (dialkylamino)alkyleneoxy, and in the case of alkyl, alkenyl, alkynyl, and heterocyclyl, oxo;

each R₅ is independently selected from the group consisting of:

$$-N-C(R_0) -N-S(O)_2 -V-N -N-C(R_0)_a$$

$$R_7 -N-C(R_0)-N -C(R_0)_a$$
and

each R_6 is independently selected from the group consisting of =O and =S;

each R₇ is independently C₂₋₇ alkylene;

each R_8 is independently selected from the group consisting of hydrogen, C_{1-10} alkyl, C_{2-10} alkenyl, C_{1-10} alkoxy- C_{1-10} alkylenyl, and aryl- C_{1-10} alkylenyl;

each R₉ is independently selected from the group consisting of hydrogen and alkyl;

R_{9a} is selected from the group consisting of hydrogen and alkyl which is optionally interrupted by one or more -O- groups;

each R₁₀ is independently C₃₋₈ alkylene;

each A is independently selected from the group consisting of -O-, -C(O)-, -CH₂-, -S(O)₀₋₂-, and N(R₄)-;

each Q is independently selected from the group consisting of a bond, $-C(R_6)$ -, $-C(R_6)$ -

 $C(R_6)$ -, $-S(O)_2$ -, $-C(R_6)$ - $N(R_8)$ -W-, $-S(O)_2$ - $N(R_8)$ -, $-C(R_6)$ -O-, and $-C(R_6)$ - $N(OR_9)$ -; each W is independently selected from the group consisting of a bond, -C(O)-, and $-S(O)_2$ -; each V is independently selected from the group consisting of $-C(R_6)$ -, -O- $-C(R_6)$ -, $-N(R_8)$ -

 $C(R_6)$ -, and $-S(O)_2$ -;

a and b are independently integers from 1 to 6 with the proviso that a + b is ≤ 7 ; n is an integer from 0 to 3; and

m is 0 or 1, with the proviso that when m is 1, n is 0 or 1;

or a pharmaceutically acceptable salt thereof.

96. (Canceled)

- 97. (Withdrawn) The compound or salt of claim 95 wherein X is -C₃₋₅ alkylene- or CH₂CH₂OCH₂CH₂-.
- 98. (Withdrawn) The compound or salt of claim 95 wherein R' is selected from the group consisting of hydrogen and C_{1-4} alkyl.

99-100. (Canceled)

101. (Withdrawn) The compound or salt of claim 95 wherein Y' is -C(O)-, $-S(O)_2$ -, or -C(O)- $N(R_8)$ -.

- 102. (Canceled)
- 103. (Withdrawn) The compound or salt of claim 95 wherein R_l is selected from the group consisting of C_{1-6} alkyl and pyridyl.
- 104. (Withdrawn) The compound or salt of claim 95 wherein R₁ is selected from the group consisting of alkyl, alkenyl, aryl, and heteroaryl, each of which is optionally substituted by one or more substituents selected from the group consisting of -O-alkyl, -O-aryl, -S-alkyl, -S-aryl, halogen, -O-C(O)-alkyl, -C(O)-O-alkyl, haloalkoxy, haloalkyl, and aryl.

105-106. (Canceled)

- 107. (Withdrawn) The compound or salt of claim 95 wherein R₂ is selected from the group consisting of hydrogen, alkyl, and alloxyalkylenyl.
- 108. (Withdrawn) The compound or salt of claim 107 wherein R₂ is selected from the group consisting of hydrogen, methyl, ethyl, propyl, butyl, ethoxymethyl, 2-methoxyethyl, and methoxymethyl.
- 109. (Withdrawn) The compound or salt of claims 95 wherein R₂ is selected from the group consisting of:

hydrogen,

alkyl,

alkenyl,

aryl,

heteroaryl,

heterocyclyl, alkylene-Y"-alkyl, alkylene-Y"-alkenyl, alkylene-Y"-aryl, and

alkyl or alkenyl substituted by one or more substituents selected from the group consisting of:

hydroxyl,

halogen,

 $-N(R_{8a})_2$,

 $-C(O)-C_{1-10}$ alkyl,

 $-C(O)-O-C_{1-10}$ alkyl,

 $-N_3$

aryl,

heteroaryl,

heterocyclyl,

-C(O)-aryl, and

-C(O)-heteroaryl;

wherein:

Y" is -O- or $-S(O)_{0-2}$; and

each R_{8a} is independently selected from the group consisting of hydrogen, $C_{1\text{-}10}$ alkyl, and $C_{2\text{-}10}$ alkenyl.

- 110. (Canceled)
- 111. (Withdrawn) The compound or salt of claim 95 wherein m and n are each 0.
- 112-133. (Canceled)

(Previously Presented) A pharmaceutical composition comprising a therapeutically effective 134. amount of a compound or salt of claim 18 in combination with a pharmaceutically acceptable carrier.

29

- (Withdrawn) A method of inducing cytokine biosynthesis in an animal comprising 135. administering an effective amount of a compound or salt of claim 18 to the animal.
- (Withdrawn) A method of treating a viral disease in an animal in need thereof comprising 136. administering a therapeutically effective amount of a compound or salt of claim 18 to the animal.
- (Withdrawn) A method of treating a neoplastic disease in an animal in need thereof 137. comprising administering a therapeutically effective amount of a compound or salt of claim 18 to the animal.
- (Previously Presented) A pharmaceutical composition comprising a therapeutically effective 138. amount of a compound or salt of claim 34 in combination with a pharmaceutically acceptable carrier.
- (Withdrawn) A pharmaceutical composition comprising a therapeutically effective amount 139. of a compound or salt of claim 95 in combination with a pharmaceutically acceptable carrier.
- (Withdrawn) A method of inducing cytokine biosynthesis in an animal comprising 140. administering an effective amount of a compound or salt of claim 34 to the animal.
- (Withdrawn) A method of inducing cytokine biosynthesis in an animal comprising 141. administering an effective amount of a compound or salt of claim 95 to the animal.
- (Withdrawn) A method of treating a viral disease in an animal in need thereof comprising 142. administering a therapeutically effective amount of a compound or salt of claim 34 to the animal.

- 143. (Withdrawn) A method of treating a viral disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 95 to the animal.
- 144. (Withdrawn) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 34 to the animal.
- 145. (Withdrawn) A method of treating a neoplastic disease in an animal in need thereof comprising administering a therapeutically effective amount of a compound or salt of claim 95 to the animal.